

## What are the main types of bearings?

Cylindrical Roller Bearing - Koyo Some cylindrical roller bearings are used in briquetting machines, rubber mixing equipment, rolling mills, rotary dryers, or pulp and paper machinery. Others Things You Want to Know About Cylindrical Roller Bearings Cylindrical Roller Bearings are designed to handle radial load at high performance and speed. Because of their particular design, These Bearings are one of

Cylindrical roller bearings | SKF SKF Cylindrical roller bearings are available in a wide range of designs, series, variants and sizes. The main design differences are the number of roller What Are Cylindrical Roller Bearings? - Ritbearing Nov 8, 2019 — What are Cylindrical Roller Bearings Used For? · Oil and gas · Gearboxes · Wind turbines · Machine tool · Electric motors · Material handling · Pumps Cylindrical Roller Bearings Cylindrical Roller Bearings are bearing in which cylinders are used as the rolling elements as opposed to balls in ball bearings.

As such, the rollers have FAQ - What are Cylindrical Bearings & Their Use? | GGB WHAT ARE CYLINDRICAL BEARINGS USED FOR? Cylindrical bearings are extremely versatile and may be used for many applications. Common cylindrical bearing uses

EXCAVATOR BEARINGS								
	L	G	A	D	B	J	P	d
<a href="#">VKBA5549</a>	-	-	-	-	-	-	-	-
<a href="#">VKBA5316</a>	-	-	-	-	-	-	-	-
<a href="#">VKBA5416</a>	-	-	-	-	-	-	-	4.0000 in
<a href="#">801794</a>	-	-	-	-	-	-	-	-
<a href="#">1801594</a>	-	-	-	-	6 mm	-	-	-
<a href="#">1801592</a>	-	-	-	-	-	-	-	-
<a href="#">1801595</a>	-	M6x1	54 mm	-	-	146 mm	-	-
<a href="#">543562</a>	-	-	-	-	-	-	-	4.0000 in
<a href="#">528983</a>	-	-	-	-	-	-	-	-
<a href="#">803750.07</a>	-	-	-	-	-	-	-	-
<a href="#">805011C</a>	-	-	-	-	-	-	-	-
<a href="#">803194A</a>	-	-	-	-	6 mm	-	-	-
<a href="#">805092C</a>	-	-	-	-	-	-	-	-
<a href="#">805312</a>	194 mm	M6x1	-	-	-	-	300 mm	-
<a href="#">805015</a>	194 mm	M6x1	-	-	-	-	300 mm	-
<a href="#">801400</a>	194 mm	M6x1	-	-	-	-	300 mm	-
<a href="#">805415A</a>	-	-	-	-	-	-	-	-
<a href="#">F-801961.11</a>	-	M6x1	54 mm	-	-	146 mm	-	-
<a href="#">F-801961.06</a>	-	-	-	-	-	-	-	-

<a href="#">201059</a>	-	-	-	-	-	-	-	-
<a href="#">DU60108</a>	-	-	-	-	-	-	-	-
<a href="#">803750B</a>	-	-	-	-	-	-	-	-
<a href="#">F-80573 3.01</a>	-	-	-	-	-	-	-	-
<a href="#">581079</a>	-	-	-	-	-	-	-	-
<a href="#">F-80500 8.09</a>	-	-	-	-	-	-	-	-
<a href="#">805958</a>	-	-	-	-	6 mm	-	-	-
<a href="#">808918</a>	194 mm	M6x1	-	-	-	-	300 mm	-
<a href="#">201037</a>	-	-	-	-	-	-	-	-
<a href="#">803904</a>	-	-	-	-	6 mm	-	-	-
<a href="#">805003A .H195</a>	-	-	-	-	6 mm	-	-	-
<a href="#">800792D</a>	-	-	-	-	-	-	-	4.0000 in
<a href="#">805165A</a>	-	-	-	-	-	-	-	-
<a href="#">F-80573 3.01</a>	-	M6X1	-	16 mm	-	-	-	-
<a href="#">800792D</a>	-	M6x1	54 mm	-	-	146 mm	-	-
<a href="#">805165A</a>	-	M6x1	54 mm	-	-	146 mm	-	-
<a href="#">F-56986 8.H195</a>	-	-	-	-	-	-	-	-
<a href="#">801794A E</a>	-	-	-	-	-	-	-	-
<a href="#">805012.0 6.H195</a>	-	-	-	-	-	-	-	4.0000 in
<a href="#">201050</a>	-	-	-	-	-	-	-	4.0000 in
<a href="#">DU60108 0075</a>	-	-	-	-	-	-	-	-
<a href="#">804162A</a>	194 mm	M6x1	-	-	-	-	300 mm	-
<a href="#">F-80556 7.TR21</a>	-	-	-	-	-	-	-	-
<a href="#">F-56628 3.H195</a>	-	M6X1	-	16 mm	-	-	-	-
<a href="#">F-56607 4.H195</a>	-	M6X1	-	16 mm	-	-	-	-
<a href="#">F-56683 4.H195</a>	194 mm	M6x1	-	-	-	-	300 mm	-
<a href="#">F-56683 0.H195</a>	-	M6x1	54 mm	-	-	146 mm	-	-
<a href="#">F-57053 0.H195</a>	194 mm	M6x1	-	-	-	-	300 mm	-
<a href="#">F-57176 2.H195</a>	-	-	-	-	-	-	-	-
<a href="#">AC46324 0</a>	-	-	-	0 Inch   0 Millimete	-	-	-	1 Inch   25.4

								Millim
<a href="#">AC52343</a> <a href="#">8--1</a>	-	-	-	-	-	-	-	-
<a href="#">AC5836</a>	-	-	-	-	-	-	-	-
<a href="#">AC6037</a>	-	-	-	3.62 Inch   91.948 M	3.25 Inch   82.55 Mi	-	-	2.75 Inch   69.85 Mi
<a href="#">F-56642</a> <a href="#">5.H195</a>	-	M6X1	-	16 mm	-	-	-	-
<a href="#">F-56642</a> <a href="#">6.H195</a>	194 mm	M6x1	-	-	-	-	300 mm	-
<a href="#">F-56642</a> <a href="#">7.H195</a>	-	-	-	-	-	-	-	-
<a href="#">210BA29</a> <a href="#">V</a>	-	-	-	-	-	-	-	-
<a href="#">AC42304</a> <a href="#">0--1</a>	-	-	-	3.62 Inch   91.948 M	3.25 Inch   82.55 Mi	-	-	2.75 Inch   69.85 Mi
<a href="#">AC4531</a>	-	-	-	-	-	-	-	-
<a href="#">AC4629</a>	-	-	-	3.62 Inch   91.948 M	3.25 Inch   82.55 Mi	-	-	2.75 Inch   69.85 Mi
<a href="#">AC4630</a>	-	-	-	3.62 Inch   91.948 M	3.25 Inch   82.55 Mi	-	-	2.75 Inch   69.85 Mi
<a href="#">AC4631</a>	-	-	-	-	-	-	-	-
<a href="#">BA260--6</a>	-	-	-	-	-	-	-	-
<a href="#">BA280-2</a> <a href="#">SA</a>	-	-	-	3.62 Inch   91.948 M	3.25 Inch   82.55 Mi	-	-	2.75 Inch   69.85 Mi
<a href="#">BA289--1</a>	-	-	-	-	-	-	-	-
<a href="#">BA290--3</a> <a href="#">A</a>	-	-	-	-	-	-	-	-
<a href="#">BA300-5</a>	-	-	-	-	-	-	-	-
<a href="#">BA300-4</a> <a href="#">WSA</a>	-	-	-	-	-	-	-	-
<a href="#">BA230--7</a> <a href="#">ASA</a>	-	-	-	3.62 Inch   91.948 M	3.25 Inch   82.55 Mi	-	-	2.75 Inch   69.85 Mi
<a href="#">BA4852P</a> <a href="#">X1</a>	-	-	-	-	-	-	-	-
<a href="#">BA240--3</a> <a href="#">A</a>	-	-	-	0 Inch   0 Millimete	-	-	-	1 Inch   25.4 Millim
<a href="#">BA246</a>	-	-	-	-	-	-	-	-
<a href="#">BA250-4</a>	-	-	-	-	-	-	-	-

<a href="#">A</a>								
<a href="#">260BA3552</a>	-	-	-	-	-	-	-	-
<a href="#">BA260--4A</a>	-	-	-	-	-	-	-	-
<a href="#">BA205--1</a>	-	-	-	-	-	-	-	-
<a href="#">BA200-1Q</a>	-	-	-	-	-	-	-	-
<a href="#">BA220--6SA</a>	-	-	-	0 Inch   0 Millimete	-	-	-	1 Inch   25.4 Millim
<a href="#">BA4531</a>	-	-	-	-	-	-	-	-
<a href="#">BA230--2A</a>	-	-	-	3.62 Inch   91.948 M	3.25 Inch   82.55 Mi	-	-	2.75 Inch   69.85 Mi
<a href="#">BA230--7A</a>	-	-	-	3.62 Inch   91.948 M	3.25 Inch   82.55 Mi	-	-	2.75 Inch   69.85 Mi
<a href="#">B-SF4454PX1</a>	-	-	-	-	-	-	-	-
<a href="#">SF4815VPX1</a>	-	-	-	-	-	-	-	-
<a href="#">SF4831VPX1</a>	-	-	-	-	-	-	-	-
<a href="#">120BA16</a>	-	-	-	-	-	-	-	-
<a href="#">BA180--2256</a>	-	-	-	-	-	-	-	-
<a href="#">BA180-4WSA</a>	-	-	-	-	-	-	-	-
<a href="#">SF3227VPX1</a>	-	-	-	0 Inch   0 Millimete	-	-	-	1 Inch   25.4 Millim
<a href="#">SF3235VPX1</a>	-	-	-	-	-	-	-	-
<a href="#">SF3607VPX1</a>	-	-	-	-	-	-	-	-
<a href="#">SF4007VPX1</a>	-	-	-	0 Inch   0 Millimete	-	-	-	1 Inch   25.4 Millim
<a href="#">SF4411VPX1</a>	-	-	-	-	-	-	-	-
<a href="#">SF4444VPX1</a>	-	-	-	-	-	-	-	-
<a href="#">SF2812VPX1</a>	-	-	-	-	-	-	-	-
<a href="#">F-50902</a>	-	-	-	-	-	-	-	-

<u>70NUP2</u> <u>210EVX2</u> )								
--------------------------------------	--	--	--	--	--	--	--	--